L Number	Hits	Search Text	DB	Time stamp
7.3	22061725	(@ad<=20000327) OR (@prad<=20000327) OR (@ptad<=20000327) OR (@ptad<=20000327)	USPAT; US-PGPUB;	2003/12/16 10:14
		(eptad(=20000327) OR (ellpa(=20000327)	EPO; JPO;	10.11
			DERWENT;	
	364	713/155.CCLS.	IBM_TDB USPAT;	2003/12/16
_	364	713/133.CCLS.	US-PGPUB;	10:13
			EPO; JPO;	
		<i>'</i>	DERWENT; IBM TDB	
_	319	713/156.CCLS.	USPAT;	2003/12/16
			US-PGPUB;	08:29
			EPO; JPO; DERWENT;	
			IBM TDB	
-	276	713/170.CCLS.	USPAT;	2003/12/16
			US-PGPUB; EPO; JPO;	08:30
			DERWENT;	
			IBM_TDB	2002/12/16
-	. 630	713/168.CCLS.	USPAT; US-PGPUB;	2003/12/16
			EPO; JPO;	
			DERWENT;	
	68	713/173.CCLS.	IBM_TDB USPAT;	2003/12/16
-		7137173.0013.	US-PGPUB;	08:30
			EPO; JPO;	,
			DERWENT; IBM TDB	
_	803	713/176.CCLS.	USPAT;	2003/12/16
			US-PGPUB;	08:30
			EPO; JPO; DERWENT;	
			IBM TDB	
-	175	713/162.CCLS.	USPĀT; US-PGPUB;	2003/12/16
		·	EPO; JPO;	00.51
			DERWENT;	
	119	713/175.CCLS.	IBM_TDB USPAT;	2003/12/16
_	119	/13/1/3.CCL3.	US-PGPUB;	08:31
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1738	709/206.CCLS.	USPAT;	2003/12/16
			US-PGPUB;	08:31
			EPO; JPO; DERWENT;	
			IBM_TDB	2000 (5 2 2 2
_	383	713/170.CCLS. OR 713/175.CCLS.	USPAT; US-PGPUB;	2003/12/16 08:50
			EPO; JPO;	
			DERWENT;	
	128484	header\$1	IBM_TDB USPAT;	2003/12/16
_	120404	Headerat	US-PGPUB;	08:50
			EPO; JPO;	
			DERWENT; IBM TDB	
_	7515	digital ADJ signature\$1	USPAT;	2003/12/16
			US-PGPUB;	08:51
			EPO; JPO; DERWENT;	
1.			IBM TDB	

	00000			0000100
_	20983	certificate\$1	USPAT;	2003/12/16
		·	US-PGPUB;	08:54
1			EPO; JPO;	
			DERWENT;	
	0276	-1402	IBM_TDB	2002/10/16
-	9276	alias\$2	USPAT;	2003/12/16
			US-PGPUB;	08:52
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	255800	map\$1 OR mapping\$1	USPAT;	2003/12/16
	ļ		US-PGPUB;	08:54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	79850	verification	USPAT;	2003/12/16
			US-PGPUB;	08:54
1		·	EPO; JPO;	
	l		DERWENT;	
·			IBM_TDB	
-	40329	authentication	USPAT;	2003/12/16
1			US-PGPUB;	09:11
			EPO; JPO;	
1			DERWENT;	
		<u> </u>	IBM_TDB	
-	70203	authentic\$5	USPAT;	2003/12/16
			US-PGPUB;	08:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	118886	verify\$3	USPAT;	2003/12/16
		•	US-PGPUB;	08:55
			EPO; JPO;	
1 .			DERWENT;	
1			IBM_TDB	
-	70223	authentication OR authentic\$5	USPĀT;	2003/12/16
			US-PGPUB;	08:56
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	159366	verification OR verify\$3	USPAT;	2003/12/16
			US-PGPUB;	08:56
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	291494	message	USPĀT;	2003/12/16
	ŀ		US-PGPUB;	08:57
			EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
-	3238	message ADJ header\$1	USPAT;	2003/12/16
			US-PGPUB;	08:58
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	97	certificate\$1 ADJ subject	USPAT;	2003/12/16
1		_	US-PGPUB;	08:59
			EPO; JPO;	
1			DERWENT;	
i		·	IBM TDB	
-	317	certificate\$1 NEAR3 subject	USPAT;	2003/12/16
		-	US-PGPUB;	08:59
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	1126200	from OR (email ADJ address) OR sender\$2	USPAT;	2003/12/16
		OR origin\$4	US-PGPUB;	09:03
		-	EPO; JPO;	1
			DERWENT;	
			IBM TDB	
			<del></del>	

		,		
-	663	(message ADJ header\$1) SAME (from OR	USPAT;	2003/12/16
		(email ADJ address) OR sender\$2 OR	US-PGPUB;	09:03
		origin\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	326	(message ADJ header\$1) WITH (from OR	USPAT;	2003/12/16
		(email ADJ address) OR sender\$2 OR	US-PGPUB;	09:04
		origin\$4)	EPO; JPO;	
			DERWENT;	
	71070	//-h OD +-l DD OD	IBM_TDB	2002/12/16
-	71272	((phone OR telephone) ADJ number) OR	USPAT;	2003/12/16
•		(sending ADJ unit ADJ (id OR identifier))	US-PGPUB;	09:18
			EPO; JPO; DERWENT;	
			IBM TDB	ļ
	1173585	(((phone OR telephone) ADJ number) OR	USPAT;	2003/12/16
	11/3303	((typione or telephone) Abb indubel) or (sending ADJ unit ADJ (id OR	US-PGPUB;	09:10
		identifier))) OR (from OR (email ADJ	EPO; JPO;	05.10
		address) OR sender\$2 OR origin\$4)	DERWENT;	
		dual cost, or solidoly or ollying it	IBM TDB	1
_	208981	(authentication OR authentic\$5) OR	USPAT;	2003/12/16
		(verification OR verify\$3)	US-PGPUB;	09:12
		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	,3	(message ADJ header\$1) NEAR	USPAT;	2003/12/16
	•	((authentication OR authentic\$5) OR	US-PGPUB;	09:14
		(verification OR verify\$3))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	49	(message ADJ header\$1) WITH	USPAT;	2003/12/16
		((authentication OR authentic\$5) OR	US-PGPUB;	09:14
		(verification OR verify\$3))	EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
-	1855	(digital ADJ signature\$1) NEAR	USPAT;	2003/12/16
		((authentication OR authentic\$5) OR	US-PGPUB;	09:1,5
		(verification OR verify\$3))	EPO; JPO;	
			DERWENT;	ļ
	2372	(digital DDI gigmature(1) NEDD2	IBM_TDB	2002/12/16
_	2372	(digital ADJ signature\$1) NEAR2 ((authentication OR authentic\$5) OR	USPAT;	2003/12/16
		(verification OR verify\$3))	US-PGPUB; EPO; JPO;	09:16
		(Verification or Verify3))	DERWENT;	
			IBM TDB	
_	2720	(digital ADJ signature\$1) NEAR3	USPAT;	2003/12/16
	2,20	((authentication OR authentic\$5) OR	US-PGPUB;	09:16
		(verification OR verify\$3))	EPO; JPO;	03.20
			DERWENT;	†
			IBM TDB	
-	19	(certificate\$1 NEAR3 subject) NEAR3	USPAT;	2003/12/16
		((authentication OR authentic\$5) OR	US-PGPUB;	09:32
		(verification OR verify\$3))	EPO; JPO;	
		_ · · · -	DERWENT;	
			IBM_TDB	
-	7249	message NEAR3 header\$1	USPĀT;	2003/12/16
			US-PGPUB;	09:36
			EPO; JPO;	ļ.
			DERWENT;	
1			IBM_TDB	
-	14		USPAT;	2003/12/16
		NEAR3 header\$1)) AND ((compar\$4 OR	US-PGPUB;	09:30
		match\$3) SAME certificate\$1)	EPO; JPO;	
1			DERWENT;	
I _	-	//gommand/ OD match 62\ CDMF /	IBM_TDB	2002/12/16
-	6	((compar\$4 OR match\$3) SAME (message NEAR3 header\$1)) SAME certificate\$1	USPAT;	2003/12/16
		MEANS Headerst)   SAME Cettilicatest	US-PGPUB; EPO; JPO;	09:31
			DERWENT;	
	1		IBM TDB	
L	1	L	12 120	

_	2	((compar\$4 OR match\$3) WITH (message NEAR3 header\$1)) WITH certificate\$1	USPAT; US-PGPUB; EPO; JPO;	2003/12/16 09:31
			DERWENT; IBM TDB	
_	3245	certificate\$1 NEAR3 ((authentication OR authentic\$5) OR (verification OR verify\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/16 09:32
			IBM_TDB	
-	5254	((message ADJ header\$1) WITH ((authentication OR authentic\$5) OR (verification OR verify\$3))) OR ((digital ADJ signature\$1) NEAR3 ((authentication OR authentic\$5) OR (verification OR verify\$3))) OR (certificate\$1 NEAR3 ((authentication OR authentic\$5) OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16
		<pre>(verification OR verify\$3))) OR ((certificate\$1 NEAR3 subject) NEAR3 ((authentication OR authentic\$5) OR (verification OR verify\$3))) OR (((compar\$4 OR match\$3) SAME (message NEAR3 header\$1)) AND ((compar\$4 OR match\$3) SAME certificate\$1) )</pre>		
_	. 3	((message ADJ header\$1) WITH ((authentication OR authentic\$5) OR (verification OR verify\$3))) AND ((digital ADJ signature\$1) NEAR3 ((authentication OR authentic\$5) OR (verification OR verify\$3))) AND (certificate\$1 NEAR3 ((authentication OR authentic\$5) OR (verification OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16
-	763	<pre>verify\$3))) ((digital ADJ signature\$1) NEAR3 ((authentication OR authentic\$5) OR (verification OR verify\$3))) AND (((message ADJ header\$1) WITH ((authentication OR authentic\$5) OR (verification OR verify\$3))) OR (certificate\$1 NEAR3 ((authentication OR</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16
	297	((authentication OR authentic\$5) OR (verification OR verify\$3))) SAME (((message ADJ header\$1) WITH ((authentication OR authentic\$5) OR (verification OR verify\$3))) OR (certificate\$1 NEAR3 ((authentication OR authentic\$5) OR (verification OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16
	3	<pre>verify\$3)))) ((digital ADJ signature\$1) NEAR3 ((authentication OR authentic\$5) OR (verification OR verify\$3))) WITH (map\$1 OR mapping\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/16 09:45
_	1	((digital ADJ signature\$1) NEAR3 ((authentication OR authentic\$5) OR (verification OR verify\$3))) NEAR3 (map\$1 OR mapping\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:42
	24	((authentication OR authentic\$5) OR (verification OR verify\$3))) SAME (((message ADJ header\$1) WITH ((authentication OR authentic\$5) OR (verification OR verify\$3))) OR (certificate\$1 NEAR3 ((authentication OR authentic\$5) OR (verification OR verify\$3)))) AND (713/170.CCLS. OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:45
_	24	(((digital ADJ signature\$1) NEAR3 ((authentication OR authentic\$5) OR (verification OR verify\$3))) SAME (((message ADJ header\$1) WITH ((authentication OR authentic\$5) OR (verification OR verify\$3))) OR (certificate\$1 NEAR3 ((authentication OR authentic\$5) OR	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	

				•
-	68	(((digital ADJ signature\$1) NEAR3	USPAT;	2003/12/16
		((authentication OR authentic\$5) OR	US-PGPUB;	09:44
		(verification OR verify\$3))) AND	EPO; JPO;	
	1	(((message ADJ header\$1) WITH	DERWENT;	
		((authentication OR authentic\$5) OR	IBM_TDB	
	}	(verification OR verify\$3))) OR		
		(certificate\$1 NEAR3 ((authentication OR		
	İ	authentic\$5) OR (verification OR		
		verify\$3))))) AND (713/170.CCLS. OR		
		713/175.CCLS.)	,	
-	199	alias\$2 NEAR3 (map\$1 OR mapping\$1)	USPAT;	2003/12/16
			US-PGPUB;	09:51
			EPO; JPO;	
			DERWENT;	
	500	-1400 MITTI (01 OD41)	IBM_TDB	0000/10/16
-	588	alias\$2 WITH (map\$1 OR mapping\$1)	USPAT;	2003/12/16
			US-PGPUB;	09:58
		·	EPO; JPO;	
			DERWENT; IBM TDB	
_	15	(alias\$2 WITH (map\$1 OR mapping\$1)) AND	USPAT;	2003/12/16
	13	((713/170.CCLS. OR 713/175.CCLS.) OR	US-PGPUB;	09:57
		709/206.CCLs.)	EPO; JPO;	05.57
		1 100, 100, 100, 100, 100, 100, 100, 10	DERWENT;	1
			IBM TDB	
_	1	(alias\$2 WITH (map\$1 OR mapping\$1)) AND	USPAT;	2003/12/16
		(713/170.CCLS. OR 713/175.CCLS.)	US-PGPUB;	09:52
	•	<u>'</u>	EPO; JPO;	
		•	DERWENT;	
		•	IBM TDB	·
-	2	trust\$2 SAME (((digital ADJ signature\$1)	USPAT;	2003/12/16
		NEAR3 ((authentication OR authentic\$5) OR	US-PGPUB;	09:58
		(verification OR verify\$3))) SAME (map\$1	EPO; JPO;	
		OR mapping\$1))	DERWENT;	
			IBM_TDB	
-	. 3	1	USPAT;	2003/12/16
		mapping\$1))	US-PGPUB;	09:58
			EPO; JPO;	
			DERWENT;	ļ
_	61	   ((((digital ADJ signature\$1) NEAR3	IBM_TDB USPAT;	2003/12/16
	01	(((digital ADD signatures)) NEARS ((authentication OR authentic\$5) OR	US-PGPUB;	10:09
		(verification OR verify\$3))) SAME	EPO; JPO;	10.09
		(((message ADJ header\$1) WITH	DERWENT;	
		((authentication OR authentic\$5) OR	IBM TDB	
		(verification OR verify\$3))) OR		
[		(certificate\$1 NEAR3 ((authentication OR		
		authentic\$5) OR (verification OR		
		verify\$3))))) AND (713/170.CCLS. OR		
		713/175.CCLS.)) OR (((digital ADJ		
		signature\$1) NEAR3 ((authentication OR		
		authentic\$5) OR (verification OR		
		verify\$3))) SAME (map\$1 OR mapping\$1))		
-	37	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/16
		((authentication OR authentic\$5) OR	US-PGPUB;	10:11
		(verification OR verify\$3))) SAME (map\$1	EPO; JPO;	
		OR mapping\$1)	DERWENT;	
L			IBM_TDB	